



---

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

---

Product Name: Polyprime-100™  
Component: “B”

Company: Specialty Products, Inc. (SPI)  
2410 - 104<sup>th</sup> St Ct S, Ste D  
Lakewood, WA 98499

Phone: 253.588.7101  
Toll Free: 800.627.0773  
Fax: 253.588.7196

**EMERGENCY CONTACT:** For Spills, Leaks, Fire or Exposure call **CHEMTREC**

Toll Free: 800.424.9300  
International Calls: 703.527.3887  
Fax: 913.321.1490

---

**SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

---

<u>Name</u>	<u>CAS#</u>	<u>% W</u>
Proprietary Chemical	Not Listed	100%

---

**SECTION 3: HAZARDS IDENTIFICATION**

---

OSHA/HCS Status: This material is not listed as hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency Overview: May cause mild eye & skin irritation

Irritating to eyes - symptoms include stinging, tearing and redness. Irritating to skin - symptoms include redness and burning of skin. Breathing small amounts of this material is not likely to be harmful.

Section 3 Notes: [Read the entire MSDS for a more thorough evaluation of the hazards.](#)

---

**SECTION 4: FIRST AID MEASURES**

---

Eye Contact: Mildly irritating to eyes.



Skin Contact:	Mildly irritating to skin.
Ingestion:	Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.
Inhalation:	Breathing of vapor or mist is possible. Breathing small amounts of this material is not likely to be harmful.
Notes to Physician:	Symptoms and signs of exposure to this material through breathing, swallowing and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea).

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

Flash Point: 445.0 F (229.4 C)

**Extinguishing Media:**

Suitable: Regular foam (such as AFFF), water fog, carbon dioxide, dry chemical. DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighters standing too close to the burning liquid. Wear full firefighting turn-out gear (full bunker gear), and respiratory protection (SCBA).

Fire & Explosion Hazards: No special fire hazards are known to be associated with this product.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

Accidental Release Measures: For major spills call **CHEMTREC** Toll Free 1.800.434.9300 or for International call 1.703.527.3887.

Small Spills, Leaks or Releases: Absorb liquid on vermiculite, floor absorbent, or other absorbent material and transfer to hood.

Large Spill: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers.



---

**SECTION 7: HANDLING AND STORAGE**

---

Handling: Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and or solid), all hazard precautions given in the data sheet must be observed.

Storage: Store in a cool, dry place at 75 degrees F or lower

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

Consult local authorities for acceptable exposure limits.

Personal Protection

Eye Protection: Wear safety glasses in compliance with OSHA regulations. (Consult your safety representative)

Skin Protection: Wear resistant gloves such as: neoprene, wear normal work clothing covering arms and legs.

Respiratory Protection: If overexposure has been determined or documented, a NIOSH/MSHA jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified conditions. (See your safety equipment supplier.) Engineering or administrative controls should be implemented to reduce exposure.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---

General Appearance Information

Physical State: Liquid  
Color: Clear  
Odor: No Data

Important Health, Safety and Environmental Information

Boiling Point: 595.0F (312.7C) @ 760 mmHg  
Evaporation Rate: Slower than ethyl ether  
Specific Gravity: .960 @ 68.00F



Viscosity:	Not available
Vapor Pressure:	Not applicable
Percent Volatiles:	100.0%
Specific Vapor Density:	>1.00 @ air=1
Ph	No data available

---

**SECTION 10: STABILITY AND REACTIVITY**

---

Stability and Reactivity:	The product will not undergo hazardous polymerization.
Incompatibility (Materials to Avoid):	Avoid contact with strong oxidizing agents
Chemical Stability:	Stable
Conditions to avoid	May form acrolein, carbon dioxide and carbon monoxide; various hydrocarbons.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

**Toxicity Data**

No Data

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

No Data

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

Waste Disposal Method:	Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact your local agencies.
------------------------	---

---

**SECTION 14: TRANSPORTATION INFORMATION**

---

EMERGENCY CONTACT:	For Spills, Leaks, Fire or Exposure call <b>CHEMTREC</b>
Toll Free:	800.424.9300
International Calls:	703.527.3887

---

**SECTION 15: REGULATORY INFORMATION**

---

<u>United States</u>	
OSHA Classification:	Not Regulated



TSCA Regulations: The intentional ingredients of this product are on the TSCA Chemical Substance Inventory.

SARA Regulations: None.  
313 and 40 CRR 372

CERCLA RQ - 40 CFR 302.4 (a) None Listed  
CERCLA RQ - 40 CFR 302.4 b) Materials without a “listed” RQ may be reportable as an unlisted hazardous substance. See 40 CFR 302.5 (b)

EPA Accidental Release  
40 CFR 68 None listed

Canada

CEPA: Canada Inventory: All components are listed or exempted.

---

SECTION 16: OTHER INFORMATION


---

Label Requirements: IRRITATING TO EYES AND SKIN.  
MAY CAUSE IRRITATION OF GASTOINTESTINAL TRACT.  
RISK OF SERIOUS DAMAGE TO RESPIRATORY SYSTEM.

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health	0
Fire Hazard	1
Reactivity	0

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



For Your Protection: The information and recommendations in this publication is to the best of our knowledge, reliable. The user is responsible to comply with all applicable federal, provincial or municipal laws and regulations. SPI MAKES NO WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Preparation Information: This MSDS supersedes ALL previous MSDS versions.